



Karen Morrison
Director

Department of Pesticide Regulation

Gavin Newsom
Governor

Yana Garcia
Secretary for
Environmental Protection

March 6, 2026

FIFRA 24(c) Special Local Need Label (SLN)
For distribution and use only in the state of California

For use on Avocados for control of hairy fleabane and other listed weeds on the product label.

Forfeit 280

EPA Reg. No.: 34704-1080

SLN # CA-240003

Manufacturer: Loveland Products, Inc
3005 Rocky Mountain Avenue
Loveland, Colorado 80538

This label expires and shall not be distributed or used in accordance with this SLN registration after October 31, 2029.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This state-specific Section 24(c) labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, and precautions on the EPA registered label for Forfeit 280 (EPA Reg. No. 34704-1080) and this label.

Location: Statewide

Crop/Site/Commodity: Avocados

Target Pest/Problem: Hairy fleabane and other listed weeds on the product label.

Dosage:

Weed Size and Stage	Forfeit 280 (fl. oz. /Acre)
Weeds <3 inches in height	48 to 82
Weeds <6 inches in height pre-tiller grasses	56 to 82
Weeds >6 inches in height and/or grasses that have tillered	64 to 82

Dilution Rate:

Apply in a minimum of 15 gallons of water per acre. In difficult situations (e.g. such as dense canopy, large weeds or unfavorable growing conditions) use a minimum of 20 gallons of water per acre.

Method of Application:

Ground (foliar), only. May be applied as a single, sequential applications, banded or spot treatment. For banded or spot treatment, see product label for instructions.

Frequency/Timing of Application: Postemergence-directed application. Do not exceed 3 applications per year.

Restricted Entry Interval (REI): 12 hours

Preharvest Interval (PHI): 12 hours

Other Requirements:

1. Sequential applications must be separated by at least 30 days.
2. Apply to actively growing weeds to get maximum weed control. Uniform, thorough spray coverage is necessary to achieve consistent weed control. Necrosis of leaves and young shoots occur within 2 to 4 days after application under good growing conditions.
3. The product is rainfast 4 hours after application to most weed species; therefore, rainfall within 4 hours may necessitate retreatment or may result in reduced weed control.
4. Make applications between dawn and 2 hours before sunset to avoid the possibility of reduced lambsquarters and velvetleaf control.
5. Weed control may be reduced if application is made when heavy dew, fog, and mist/rain are present; or when weeds are under stress due to environmental conditions including drought, cool temperatures, or extended periods of cloudiness.
6. To maximize weed control, do not cultivate from 5 days before an application to 7 days after an application.

7. Avoid contact of the solution, spray, drift, or mist with green bark, stems, foliage, or fruit as injury may occur to trees. Only trunks with callused, mature brown bark may be sprayed unless protected from spray contact by nonporous wraps, grow tubes, or waxed containers. Contact of this product with parts of trees other than mature brown bark can result in serious damage.
8. Consult your local Cooperative Extension Service or Loveland Products, Inc. representative for guidelines on the optimum application timing for this product in your region.

Specific Use Restrictions:

1. Do not apply more than 82 fluid ounces of product per acre (1.50 lbs. ai/ac of glufosinate) in a single application.
2. Do not apply more than a maximum cumulative amount of 246 fluid ounces of product (4.50 lbs. ai/ac) per acre from sequential applications in avocado per year.
3. Do not apply by air.
4. Do not apply through any type of irrigation system.
5. Do not apply in greenhouses.

Valid until withdrawn, suspended or cancelled by the United States Environmental Protection Agency (USEPA), the manufacturer, the 24(c) registrant, or the Department of Pesticide Regulation, or expires.

The County Agricultural Commissioner's (or designee's) signature must be obtained prior to this use. This does not constitute a recommendation of the Department of Pesticide Regulation and will not prevent quarantine action if illegal residues are found on or in the crop.

To the extent consistent with applicable law, neither the Department nor the county agricultural commissioner, makes any warranty of merchantability, fitness of purpose, or otherwise, expressed or implied, concerning the use of a pesticide in accordance with these provisions. The user and/or grower acknowledge the preceding disclaimer.

Do not use in mixture with other pesticides unless provided for in the labeling. Trial on a small area to check out unanticipated problems is suggested.

24(c) Registrant: California Avocado Commission
12 Mauchly, Suite L
Irvine, California 92618-6305
(949) 341-1955

USEPA SLN No. CA-240003



John E. Inouye
Senior Environmental Scientist
Pesticide Registration Branch
(916) 324-3538
E-mail: John.Inouye@cdpr.ca.gov

COUNTY AGRICULTURAL COMMISSIONER'S SIGNATURE

Date: _____

USER'S SIGNATURE _____